

Message

From: Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]
Sent: 12/19/2018 6:48:27 PM
To: Vitello, Joseph A. [vitello.joseph@epa.gov]; Thompson, Khalia [thompson.khalia@epa.gov]
Subject: FW: Bishop Tube & Ex. 5 Deliberative Process (DP)

FYI. Hoping we hear something soon from PADEP.

Yaz

Yazmine J. Yap-Deffler, Chief
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-3369 (Office)
267-761-2089 (Cell)
yap-deffler.yazmine@epa.gov

From: Hirsh, Steven
Sent: Wednesday, December 19, 2018 10:15 AM
To: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: Fwd: Bishop Tube

FYI

Steve

Steven Hirsh, Associate Director
Federal Facilities Remediation and Site Assessment
Hazardous Site Cleanup Division
US EPA Region III

Desk: (215) 814-3352 Cell: (215) 514-9015
hirsh.steven@epa.gov

Begin forwarded message:

From: "Melvin, Karen" <Melvin.Karen@epa.gov>
Date: December 19, 2018 at 7:38:13 AM EST
To: "ghartenstein@pa.gov" <ghartenstein@pa.gov>
Cc: "Hirsh, Steven" <Hirsh.Steven@epa.gov>, "Dietz, Linda" <Dietz.Linda@epa.gov>
Subject: Bishop Tube

Hi George! I am trying to tie up some loose ends before I move to stand up the new Enforcement Division here in the region, and I wanted to check to see about any decision you may have made about whether or not you'd be amenable to the possible listing of the Bishop Tube Site on the National Priorities List. You mentioned that you needed to coordinate with your folks when we talked last month. [REDACTED] Ex. 5 Deliberative Process (DP)

[REDACTED] Ex. 5 Deliberative Process (DP) [REDACTED] that may benefit from further discussion as well. Can you let me know what the State's position is on both of these sites? Thanks.

KAREN MELVIN, DIRECTOR
HAZARDOUS SITE CLEANUP DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275